

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

HUMAN CB1 PROTEIN, HFC TAG

货号: 11311

产品全名: 人 CB1 蛋白 规格: 10/50/100 µg

基因符号 CANN6;CB-R;CB1;CB1A;CB1K5;CB1R;CNR

目标蛋白: CBI

UNIPROT ID: P21554

描述: Recombinant Human CB1 protein with C-terminal human Fc

背景: This gene encodes one of two cannabinoid receptors. The cannabinoids, principally delta-9-tetrahydrocannabinol and synthetic analogs, are psychoactive ingredients of marijuana. The cannabinoid receptors are members of the guanine-nucleotide-binding protein (G-protein) coupled receptor family, which inhibit adenylate cyclase activity in a dose-dependent, stereoselective and pertussis toxinsensitive manner. The two receptors have been found to be involved in the cannabinoid-induced CNS effects (including alterations in mood and cognition) experienced by users of marijuana. Multiple transcript variants encoding two different protein isoforms have been described for this gene.

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 44.2 kDa after removal of the signal peptide. The apparent molecular mass of CB1-hFc is approximately 70-100 kDa due to glycosylation.

分子特征: CBI(Meti-Ginil6) (Aspi76-Asni87) (Asn256-Glu273) (Asp366-Thr377) hFc(Glu99-Alg330)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Figure 1. Human CB1 Protein, hFc Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human CB1 Protein, hFc Tag (11311) can bind Anti-CB1 antibody(DM144), Rabbit mAb in a linear range of 3.20-16 ng/mL.