

HUMAN CD161 PROTEIN

货号: 12276

产品全名: 人 CD161 蛋白

规格: 10/50/100 µg

基因符号 NKR;KLRB1;CLEC5B;NKR-PI;NKRPIA;NKR-PIA;hNKR-PIA

目标蛋白: CD161

UNIPROT ID: Q12918

描述: Recombinant human CD161 Protein with N-terminal human Fc tag

背景: Natural killer (NK) cells are lymphocytes that mediate cytotoxicity and secrete cytokines after immune stimulation. Several genes of the C-type lectin superfamily, including the rodent NKRPI family of glycoproteins, are expressed by NK cells and may be involved in the regulation of NK cell function. The KLRB1 protein contains an extracellular domain with several motifs characteristic of C-type lectins, a transmembrane domain, and a cytoplasmic domain. The KLRB1 protein is classified as a type II membrane protein because it has an external C terminus. [provided by RefSeq, Jul 2008]

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 44.6 kDa after removal of the signal peptide. The apparent molecular mass of hFc-CD161 is approximately 55-70 kDa due to glycosylation.

分子特征: hFc(Glu99-Ala330) CD161(Gln67-Ser225)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human CD161 Protein, hFc Tag on SDS-PAGE under reducing condition.