

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

HUMAN CD40 LIGAND PROTEIN, HFC TAG

货号: 11241

产品全名: 人 CD40 Ligand 蛋白

规格: 10/50/100 µg

基因符号 CD40LG;D154;D40L;IGM1;GM;MD3;-BAM;NFSF5;RAP;p39

目标蛋白: CD40 Ligand UNIPROT ID: P29965

描述: Recombinant human CD40 Ligand Protein with N-terminal Human Fc tag

背景: The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin class switch and is associated with hyper-IgM syndrome.

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 42.3 kDa after removal of the signal peptide. The apparent molecular mass of hFc-CD40 Ligand is approximately 40-53 kDa due to glycosylation.

分子特征: hFc(Glu99-Ala330) CD40 Ligand(Met113-Leu261)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining. **Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Figure 1. Human CD40 Ligand Protein, hFc Tag on SDS-PAGE under reducing condition.

Human CD40 Ligand, hFc Tagged protein ELISA

0.2 µg of CD40 Ligand, hFc Tagged protein per well




Figure 2. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human CD40 Ligand,hFc tagged protein (11241) can bind Human CD40, mFc-His tagged protein 11143 in a linear range of 0.51-320 ng/ml.

Human CD40 Ligand, hFc Tagged protein ELISA

0.2 µg of Human CD40 Ligand, hFc Tagged protein per well




Figure 3. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human CD40L, hFc tagged protein (11241) can bind Anti-CD40L Neutralizing antibody 28051 in a linear range of 0.64-400 ng/ml.