

HUMAN CXCL5 PROTEIN, HFC TAG

目录: 11945

产品名称: Human CXCL5 Protein

规格: 10 µg, 50 µg and 100 µg

基因符号: ENA-78;SCYB5

Target: CXCL5

UNIPROT ID: P42830

描述: Recombinant Human CXCL5 Protein with N-terminal human Fc tag

背景: This gene encodes a protein that is a member of the CXC subfamily of chemokines. Chemokines, which recruit and activate leukocytes, are classified by function (inflammatory or homeostatic) or by structure. This protein is proposed to bind the G-protein coupled receptor chemokine (C-X-C motif) receptor 2 to recruit neutrophils, to promote angiogenesis and to remodel connective tissues. This protein is thought to play a role in cancer cell proliferation, migration, and invasion. [provided by RefSeq, May 2013]

Species/Host: HEK293

Molecular Weight: The protein has a predicted molecular mass of 34.0 kDa after removal of the signal peptide. The apparent molecular mass of hFc-CXCL5 is approximately 25–35 kDa due to glycosylation.

Molecular Characterization: hFc(Glu99-Ala330) CXCL5(Leu44-Asn114)

纯化:: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human CXCL5 Protein, hFc Tag on SDS-PAGE under reducing condition.