

## HUMAN IL18 PROTEIN, HFC TAG

货号: 11736

产品全名: 人 IL18 蛋白

规格: 10/50/100 µg

基因符号 IGIF;IL-1g;IL-18;IL1F4

目标蛋白: IL18

**UNIPROT ID:** Q14116

**描述:** Recombinant Human IL18 with C-terminal human Fc tag

**背景:** The protein encoded by this gene is a proinflammatory cytokine of the IL-1 family that is constitutively found as a precursor within the cytoplasm of a variety of cells including macrophages and keratinocytes. The inactive IL-18 precursor is processed to its active form by caspase-1, and is capable of stimulating interferon gamma production, and of regulating both T helper (Th) 1 and Th2 responses. This cytokine has been implicated in the injury of different organs, and in potentially fatal conditions characterized by a cytokine storm. In humans, IL-18 gene is located on chromosome 11. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Aug 2020]

**物种/宿主:** HEK293

**分子量:** The protein has a predicted molecular mass of 44.3 kDa after removal of the signal peptide. The apparent molecular mass of IL18-hFc is approximately 35-55 kDa due to glycosylation.

**分子特征:** IL18(Thr37-Asp197) hFc(Glu99-Ala330)

**纯化:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**储存和运输:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human IL18 Protein, hFc Tag on SDS-PAGE under reducing condition.