

## HUMAN IL4RA PROTEIN, HFC TAG

货号: 11593

产品全名: 人 IL4RA 蛋白

规格: 10/50/100 µg

基因符号 CD124;IL-4RA;IL4RA

目标蛋白: IL4RA

UNIPROT ID: P24394

描述: Recombinant human IL4RA Protein with C-terminal Human Fc tag

背景: This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitis, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants.

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 49.9 kDa after removal of the signal peptide. The apparent molecular mass of IL4RA-hFc is approximately 55-70 kDa due to glycosylation.

分子特征: IL4RA(Met26-His232) hFc(Glu99-Ala330)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization.

**储存和运输:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human IL4RA Protein, hFc Tag on SDS-PAGE under reducing condition.

### Human IL4RA, hFc Tagged protein ELISA

0.2 µg of Human IL4RA, hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human IL4RA Protein, hFc Tag(11593) can bind Anti-IL4RA antibody(DMC284), IgG1 Chimeric mAb in a linear range of 16.0-400 ng/mL.