

HUMAN MDK PROTEIN, HFC TAG

货号: 11527

产品全名: 人 MDK 蛋白

规格: 10/50/100 µg

基因符号 Midkine;K;RAP;idgestation and kidney protein;eurite outgrowth-promoting factor 2;eurite outgrowth-promoting 蛋白

目标蛋白: MDK

UNIPROT ID: P21741

描述: Recombinant human MDK protein with C-terminal human Fc tag

背景: This gene encodes a member of a small family of secreted growth factors that binds heparin and responds to retinoic acid. The encoded protein promotes cell growth, migration, and angiogenesis, in particular during tumorigenesis. This gene has been targeted as a therapeutic for a variety of different disorders. Alternatively spliced transcript variants encoding multiple isoforms have been observed. [provided by RefSeq, Jul 2012]

物种/宿主: HEK293

分子量: The protein has a predicted molecular mass of 39.6 kDa after removal of the signal peptide. The apparent molecular mass of MDK-hFc is approximately 35-55 kDa due to glycosylation.

分子特征: MDK(Val21-Asp143) hFc(Glu99-Ala330)

纯化: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human MDK Protein, hFc Tag on SDS-PAGE under reducing condition.