

## HUMAN MICAA3 PROTEIN

货号: 12282

产品全名: 人 MICAA3 蛋白

规格: 10/50/100 µg

基因符号 MICA;MIC-A;PERB11.1

目标蛋白: MICAA3

**UNIPROT ID:** Q29983

**描述:** Recombinant human MICAA3 Protein with C-terminal mouse Fc tag

**背景:** This gene encodes the highly polymorphic major histocompatibility complex class I chain-related protein A. The protein product is expressed on the cell surface, although unlike canonical class I molecules it does not seem to associate with beta-2-microglobulin. It is a ligand for the NKG2-D type II integral membrane protein receptor. The protein functions as a stress-induced antigen that is broadly recognized by intestinal epithelial gamma delta T cells. Variations in this gene have been associated with susceptibility to psoriasis 1 and psoriatic arthritis, and the shedding of MICA-related antibodies and ligands is involved in the progression from monoclonal gammopathy of undetermined significance to multiple myeloma. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jan 2014]

**物种/宿主:** HEK293

**分子量:** The protein has a predicted molecular mass of 37.9 kDa after removal of the signal peptide. The apparent molecular mass of MICAA3(203-306)-mFc is approximately 35-70 kDa due to glycosylation.

**分子特征:** MICAA3(Arg203-His306) mFc(Pro99-Lys330)

**纯化:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**储存和运输:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Figure 1. Human MICA±3 Protein, mFc Tag on SDS-PAGE under reducing condition.